


WELCOME TO DELHI PORTA FINE

AN ISO 9001: 2015 CERTIFIED CO.



COMPLETE STRUCTURES SOLUTION

DELHI PORTA FINE

- MODULE OF WALL
- · SOLID WALL
- · PUFF PANEL WALL
- MEZZANINE FLOOR
- · METAL CEILING
- · PORTABLE FLOOR
- · FRAMING

SUSPENSIONS

We are ISO 9001-2015 certified manufacture fabrication. supplier of pre fab structure, steel building cottege resort and porta cabin and shelters, cold room, walk in chamber acoustic enchosure, sound proof cabin etc.

We also offer structure feeling and havey fabrication component.















DELHI PORTA FINE

WE ARE ISO 9001-2015 CERTIFIED MANUFACTURE / FABRICATION. SUPPLIER OF PRE FAB STRUCTURE, STEEL BUILDING COTTEGE RESORT AND PORTA CABIN. AND SHELTERS, COLD ROOM. WALK IN CHAMBER ACOUSTIC ENCHOSURE, SOUND PROOF CABIN ETC. WE ALSO OFFER STRUCTURE FEELING AND HAVEY FABRICATION COMPONENT.

Module of wall: - shall be fixing wall and roof panel made of galvanize sheet thickness 0.63 mm and above on both side EPS (Expanded polystyrene) thermocol 14 kg/ density which is sandwiched

Solid Wall: providing & installation unique tangible grove of panel to panel jointing system the maximizes space utilization in, well durability fire resistance and water proof relevant likely, clean with metal GI sheet section wall panel 50 – 75 mm thick and length of 8-9-10 ft

Puff Panel wall = shall be installation Puff thermal insulation with powder coated sheet 0.5 mm thick unique advanced wall and roof panels has: significant mechanical strength witch mark it possible to go for larger scans as well cold storage, partition, rooms are cam lock jointed also not deteriorate over a period of time making it designing initial layout planning drawing and installation, competent professional services additionally provided tongue groove configuration. The thermal efficiency of wall panel does Thickness available 50- 60-80 mm, and roof panel 90 mm according customers demand

Portable floor; Shall be comprised of frame work made up of MS, rectangular pipe (25 x 50 mm 16 gauge) having grid of standard size 600 x 600 mm duly coating approved steel primer and synthetic enamel paint end entire structure shall be raised above ground level 6 inches to 10 inches or customers demand supported ISMB legs at every 4 ft interval welded the floor base, above fixing of boiling water proof marine grade ply board and water proof cement fiber board 18 mm with PVC sheet 1.5 mm thick of reputable make of equivalently, treated with wood preservative and anti termite chemical

Mezzanine Floor: Showroom, Offices, Labor Accommodation, Call Centers & hill house

Metal ceiling: - shall be complete installation C 150F system has a unique tongue and groove interlocking arrangement which make this system very suitable for rigid applications. It has a neat and fact looks. The most sought after exterior ceiling systems, extensively used in petrol pump and other canopies

Suspensions = Interior: - suspensions by means of 3.5 mm diameter, galvanized steel wire rod hanger and spring steel suspension clip fixed to roof by 'j' hooks and nylon inserts. Suspension to be spaced at 1.5 meter

Framing: shall be suspension by main of GI suspension angle and suspension cliff 150 f type false ceiling is available in steel with any desired alloy/grade branded materials

OUR HABIT IS TO BUILD STRONG STEEL STRUCTURE











WHY DO YOU WANT SOMEONE IS GOOD





COMPLETE ENGINEERING FOR RESIDENTIAL HOUSE SOLUTION







COMPLETE PLANNING & FABRICATION







WE NEED TO BUILD YOUR STRUCTURES / ROOM

















COMPLETE ENGINEERING FOR GUARD CABIN SOLUTION











COMPLETE CABIN SOLUTIONS

ROOF ITEMS











YOU WILL GET THE RIGHT INFORMATION













TENSILE STRUCTURE







WOODEN HOUSE











CONTAINER HOUSE









OUR CLIENTS


































CONTACT INFORMATION



www.delhiportafine.com

CONTACT PERSON: SANJAY DIXIT
KHASRA NO.281,BIOCK C-72, LONI ROAD,
OPP. HP PUMP, GOKULPUR VILLAGE,
SHAHDARA, DELHI -110094
011 - 22815433
+91 - 9312363070
PORTAFINE@GMAIL.COM



C- 6 KHASRA NO 139/2 MAHAVEER CAMPUS RAJPUR KHURD EXTN. CHHATTARPUR DELHI 110074



THANKS FOR THE VISIT







